



HT-22/8

Order No.: 0100180

PRODUCTINFOS

Cone tweeter, 10 W, 8 Ω

- Classic tweeter for hi-fi, car hi-fi and for replacement purposes

Klang+Ton 02/2012

“The unit at the most favourable price was the surprise in the test ... provides the most balanced frequency response in front of the microphone ... very attractive price, to be used without any problems, offers best measured values.”

Klang+Ton 02/2018

“Quite respectable. [...] considering the modest use of material, a remarkable performance.” (SP-13/4 and HT-22/8 in the Cheap Trick 296 of Klang+Ton)

Manufacturer information:

MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68

28217 Bremen
Germany
info@monacor.com

TECHNICAL SPECIFICATIONS

HT-22/8

Impedance (Z)	8 Ω
Transmission technology	cable
Frequency range	fx-19,000 Hz
Resonant frequency (fs)	1,500 Hz
Rec. crossov. frequ. (fmax.) (12 dB/oct.)	2,500 Hz
Power rating (RMS)	10 W
Peak music power output (MAX)	20 W
SPL	91 dB/W/m
Voice coil diameter	\emptyset 12 mm
Magnet diameter	\emptyset 45 mm
Mounting cutout	\emptyset 63 mm
Mounting depth	27.4 mm
Mounting hole diameter	\emptyset 80 mm
Hole spacing X-axis	56 mm
Hole spacing Y-axis	56 mm
Dimensions	\emptyset 90 mm x 28 mm
Outside diameter	\emptyset 90 mm
Width	\emptyset 90 mm
Height	\emptyset 90 mm
Depth	28 mm
Colour	black
Admiss. ambient temp.	0-40 °C
Weight	0.14 kg
Packing unit	1
Type of speaker	2"
Packaging dimensions (W x H x L)	0.095 x 0.035 x 0.095 m
Gross weight	0.154 kg
Net weight	0.14 kg

HT-22/8

EAN code	4007754008920
Net weight	0.14 kg

