



## SP-382PA

Order No.: 0103320

### PRODUCTINFOS

**Universal bass speaker, 150 W, 8  $\Omega$**

For bass applications, also in power speaker systems.

#### Manufacturer information:

MONACOR INTERNATIONAL GmbH & Co. KG  
Zum Falsch 36  
28307 Bremen  
Germany  
info@monacor.com

### TECHNICAL SPECIFICATIONS

#### SP-382PA

Impedance (Z)	8 $\Omega$
Transmission technology	cable
Frequency range	f3-4,000 Hz

**SP-382PA**

Resonant frequency (fs)	25 Hz
Power rating (RMS)	150 W
Peak music power output (MAX)	300 W
SPL	94 dB/W/m
Suspension compl. (Cms)	0.26 mm/N
Moving mass (Mms)	73 g
Mech. Q factor (Qms)	3.03
Electr. Q factor (Qes)	0.99
Total Q factor (Qts)	0.75
Equivalent volume (Vas)	270 l
DC resistance (Re)	7.0 $\Omega$
Force factor (BxL)	10.87 Tm
Voice coil induct. (Le)	0.8 mH
Voice coil diameter	$\varnothing$ 50 mm
Voice coil former	aluminium
Linear excursion ( $X_{MAX}$ )	$\pm$ 3.5 mm
Eff. cone area (Sd)	825 cm <sup>2</sup>
Magnet weight	1.2 kg
Magnet diameter	$\varnothing$ 142 mm
Mounting cutout	$\varnothing$ 355 mm
Mounting depth	139 mm
Dimensions	$\varnothing$ 385 mm x 150 mm
Outside diameter	$\varnothing$ 385 mm
Width	$\varnothing$ 385 mm
Height	$\varnothing$ 385 mm
Depth	150 mm
Colour	black
Admiss. ambient temp.	0-40 °C
Weight	3.9 kg
Packing unit	1
Type of speaker	15"
Packaging dimensions (W x H x L)	0.39 x 0.15 x 0.39 m
Gross weight	4.3 kg
Net weight	3.9 kg

**SP-382PA**

EAN code 4007754134919

**SP-382PA**

Net weight

3.9 kg