



IT-400DTM



Order No.: 1000811

PRODUCTINFOS

Weatherproof active horn speaker (music horn), 2-way technology

- With integrated Dante® module
- 30 W amplifier
- Power supply via PoE (Power over Ethernet)
- Weatherproof and IP66 certified
- Very wideband sound with a distinct bass volume, even at very high volume levels
- 16 cm bass-midrange speaker and 25 mm (1") horn
- Robust plastic housing
- Supplied with mounting bracket and screws made of stainless steel

System requirements for Dante®: Windows 7/8.1/10 or MacOS 10.9.5/10.10.5/10.11

Manufacturer information:

MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68
28217 Bremen
Germany

info@monacor.com

Safety Notes and Warning Messages

The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).

Never adjust the speakers to a very high volume. Permanent high volumes may damage your hearing!

If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.

TECHNICAL SPECIFICATIONS

IT-400DTM

Active/passive	active
Transmission technology	Dante®
Total output power	30 W
Power rating (RMS)	30 W
Frequency range	100-20,000 Hz
Input signal	Dante®
Number of speakers	2
SPL	98 dB/W/m
Max. rated SPL	113 dB
Radiation angle/beam angle	H: 100°/V: 60°
Radiation angle, horizontal	100°
Radiation angle, vertical	60°
Features	2-way
Housing material	ABS
Colour	grey
Mounting device	stainless steel mounting bracket
Protection class	IP66
Admiss. ambient temp.	-20 °C to +50 °C
Power supply	PoE
Dimensions	420 x 335 x 400 mm
Width	420 mm
Height	335 mm
Depth	400 mm
Weight	6.1 kg
Inputs	1 x RJ45

IT-400DTM

Other features	weatherproof
Packaging dimensions (W x H x L)	0.36 x 0.46 x 0.44 m
Gross weight	7.45 kg
Net weight	6.1 kg

IT-400DTM

EAN code	4007754417647
Net weight	6.1 kg