



PAB-8WP/WS

Order No.: 0253570

PRODUCTINFOS

Weatherproof PA speakers with IP classification.

Exactly the right speakers whenever a high sound quality, a high volume capability and a respective resistance to all weather conditions are required. Ideally suited for permanent open-air applications, e.g. at fairground attractions, PA applications in pedestrian areas, at sports facilities and wherever a weather-protected installation of the speakers is not possible.

Weatherproof high-performance PA speaker system, 120 W

- High-performance 2-way bass-reflex system in an ABS cabinet
- 100 V or 8 Ω operation, selectable
- 20 cm (8") PA bass speaker with impregnated paper cone
- 25 mm (1") horn tweeter system
- Excellent sound characteristics
- Front grille with water-repellent gauze
- Recessed connection terminal with cover plate and high-strength cable gland
- SPEAKER in and parallel out, screw terminal
- Metal parts and wall bracket made of stainless steel
- Ball-proof according to DIN 18032, Part 3

PROSOUND 05/2011

“The cabinets give a solid impression ... and meet IP45 requirements. All four speaker systems are suitable for pleasant background music ... the large PAB-8WP/WS is capable of quite high volume levels ... however, the small ones should not be underestimated ... these speaker systems are impressive and the price is quite reasonable for weatherproof speaker systems.”

TECHNICAL SPECIFICATIONS

PAB-8WP/WS

Active/passive	passive
Transmission method	100 V
Total power rating	240 W
Power rating (RMS)	120/60/30 W
Impedance	8 Ω
Frequency range	48-20,000 Hz
System	2-way bass-reflex
Bass speaker	20 cm (8") PA bass speaker
Tweeter	25 mm (1") horn tweeter
Number of speakers	2
Speaker size	20 cm (8")
Sensitivity	96 dB/W/m
Max. rated SPL	117 dB
Housing material	ABS
Colour	white
Mounting device	mounting bracket
Protected against ball rebound	yes
Protection class	IP45
Admiss. ambient temp.	-10 °C to +40 °C
Dimensions	240 x 430 x 250 mm
Width	240 mm
Height	430 mm
Depth	250 mm
Weight	11.42 kg
Inputs	1 x SPEAKER, screw terminal
Outputs	1 x SPEAKER, par. out
Packing dimensions (W x H x L)	0.35 x 0.51 x 0.28 m
Gross weight	15.7 kg

PAB-8WP/WS

Net weight

11.42 kg